## Building Capacity to Provide Evidence-Based Treatments to Children and Youth Impacted by Child Abuse

Daniel Garfinkel, Ph.D., R. Psych. Director of Services



## Foundations of Best Practice in Treating Trauma in Children & Youth

- Assessment-Driven
- Evidence-Based / Empirically supported
- Trauma-informed
- Developmentally sensitive
- Systemic approach
- Focus on skill-building




Cohen, J. A. & AACAP Work Group on Quality Issues. (2010). Practice parameter for the assessment and treatment of children and adolescents with posttraumatic stress disorder. *Journal of the American Academy of Child & Adolescent Psychiatry*, 49(4), 414-430.

Landolt, M. A., Cloitre, M., & Schnyder, U. (2017). Evidence-Based Treatments for Trauma Related Disorders in Children and Adolescents. Springer. National Child Traumatic Stress Network: <a href="https://www.NCTSNet.org">www.NCTSNet.org</a>

Schneider, S. J., Grilli, S. F., & Schneider, J. R. (2013). Evidence-based treatments for traumatized children and adolescents. *Current psychiatry reports*, *15*(1), 332.












Rating Scale – California Clearinghouse for Evidence Based

Practice: www.cebc4cw.org



#### EBT's in U.S. Based CAC's





National Children's Alliance. Thriving Kids 2019: A National Report on Mental Health Outcomes in Children's Advocacy Centres: <a href="https://www.nationalchildrensalliance.org/thriving-kids/">www.nationalchildrensalliance.org/thriving-kids/</a>








#### EBTs improve outcomes for children.

Below are percentages of children who stopped experiencing these major life problems after receiving EBTs.







- Child and caregiver are involved in the process
- Therapist is active and directive
- Theoretical base is behavioural, cognitive-behavioural or attachment-based
- Structured approach, with specific procedures
- Treatment is goal-directed
- Focus on replacing maladaptive patterns with adaptive skills
- Treatment protocol can be recreated or taught



National Child Traumatic Stress Network (2008, 2017). CAC Directors' Guide to Mental Health Services for Abused Children. <a href="https://www.nctsn.org/products/childrens-advocacy-center-directors-guide-mental-health-services-abused-children-2008">www.nctsn.org/products/childrens-advocacy-center-directors-guide-mental-health-services-abused-children-2008</a>





- Child and Family Traumatic Stress Intervention (CFTSI)
- Trauma-Focused Cognitive Behavioural Therapy (TFCBT)
- Parent-Child Interaction Therapy (PCIT)

 Other treatments with good evidence: EMDR; Prolonged Exposure Therapy for Adolescents; Alternatives for Families CBT; Child-Parent Psychotherapy; Problematic Sexual Behaviour-CBT




#### **Therapy Providers in Vancouver**

- Scan of existing child/adolescent trauma therapy providers:
   7 community agencies; approx. 155 private practice clinicians
- Limited use and understanding of EBT's
- Resistance to prescriptive and/or manualized treatments
- Skepticism about reliance on science to inform treatment selection
- Preference for individualized, client-centered, strength-focused, "trauma-informed", play-based, non-directive approaches to treatment
- Concerns about funding and ability to access EBT trainings
- Concerns about client/family complexity and transportability of EBT's





 Increase capacity among therapy providers in commitment and ability to provide EBT's:



- ✓ Education about EBT's: Address misconceptions
- ✓ Provide training, supervision and consultation on delivery of specific EBT's
- ✓ Reach community agencies, local health authority, and private practitioners






- Some EBT's are designed to treat a single disorder
  - >Comorbid conditions?
  - ➤ Complex trauma histories?
- EBT's are manualized
  - > Flexibility within fidelity
  - >Therapeutic relationship remains integral



### Creative Interventions: Flexibility within Fidelity



Use of play or expressive arts as the medium for delivering an EBT







- CAC Director's Guide to Mental Health Services for Abused Children (available at www.nctsn.org)
- California Clearinghouse for Evidence Based Practice: <a href="www.cebc4cw.org">www.cebc4cw.org</a>
- Assessment-Based Treatment for Traumatized Children: A Trauma Assessment Pathways Model (TAP) – Chadwick Centre for Children and Families (2009): www.taptraining.net
- National Children's Alliance. Evidence-Based Mental Health Treatments for Child Abuse Victims: Quick Reference Guide for Multidisciplinary Teams and Brokers: www.cac-nh.org
- National Children's Alliance. Thriving Kids 2019: A National Report on Mental Health Outcomes in Children's Advocacy Centres: www.nationalchildrensalliance.org/thriving-kids/
- National Child Traumatic Stress Network: www.nctsn.org





# <u>Info@treehousevancouver.ca</u> <u>Daniel@treehousevancouver.ca</u> <u>www.treehouse.ca</u>

Twitter: @TreehouseCYAC @DrDanGarfinkel